

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006



## Koru Film Developer

SUBID : 000001010606

Version 1  
Revision Date 26.03.2009

Print Date 27.03.2009

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

#### Identification of the substance/preparation

Product name : Koru Film Developer  
Use of the Substance/Preparation : Photographic developer concentrate

#### Company/Undertaking Identification

Agfa-Gevaert NV  
Septestraat 27  
2640 Mortsel  
Belgium  
Tel. : +32 3 4445501  
Fax : +32 3 4445503  
Person responsible for the safety data sheet: Eddy Michiels  
E-mail: info@Koru-graphics.com

Emergency telephone number : +32 3 4443333 (24h/24h)

### 2. HAZARDS IDENTIFICATION

#### EC-classification:

Symbol(s)	: Xn	Harmful
R-phrases(s)	: R36	Irritating to eyes.
	R40	Limited evidence of a carcinogenic effect.
	R43	May cause sensitization by skin contact.
	R68	Possible risk of irreversible effects.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

The hazard and labelling information in this section is that of the individual ingredients. The corresponding information relative to this product as supplied is given in section 15. Full text of each relevant R-phrase is listed in section 16.

Aqueous photographic developer concentrate, mainly consisting of:

#### Hazardous components

- |                       |                                |                     |      |   |      |
|-----------------------|--------------------------------|---------------------|------|---|------|
| • Potassium carbonate |                                | Concentration [%] : | 10.0 | - | 20.0 |
| CAS-No.               | : 584-08-7                     |                     |      |   |      |
| EINECS-No.            | : 209-529-3                    |                     |      |   |      |
| Symbol(s)             | : Xi                           |                     |      |   |      |
| R-phrase(s)           | : R36/38                       |                     |      |   |      |
| • Hydroquinone        |                                | Concentration [%] : | 1.0  | - | 5.0  |
| CAS-No.               | : 123-31-9                     |                     |      |   |      |
| Index-No.             | : 604-005-00-4                 |                     |      |   |      |
| EINECS-No.            | : 204-617-8                    |                     |      |   |      |
| Symbol(s)             | : Xn, N                        |                     |      |   |      |
| R-phrase(s)           | : R22, R40, R41, R43, R50, R68 |                     |      |   |      |
| • Diethylene glycol   |                                | Concentration [%] : | 1.0  | - | 5.0  |
| CAS-No.               | : 111-46-6                     |                     |      |   |      |
| Index-No.             | : 603-140-00-6                 |                     |      |   |      |
| EINECS-No.            | : 203-872-2                    |                     |      |   |      |

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006



## Koru Film Developer

SUBID : 000001010606

Version 1

Print Date 27.03.2009

Revision Date 26.03.2009

Symbol(s)	: Xn			
R-phrases(s)	: R22			
• EDTA-sodium salt		Concentration [%] :	0.5 - 1.0	
CAS-No.	: 64-02-8			
EINECS-No.	: 200-573-9			
Symbol(s)	: Xn			
R-phrases(s)	: R22, R41			
• 4-Hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidone		Concentration [%] :	0.0 - 0.1	
CAS-No.	: 13047-13-7			
EINECS-No.	: 235-920-3			
Symbol(s)	: Xn, N			
R-phrases(s)	: R22, R51/53, R43			

### 4. FIRST AID MEASURES

Eye contact	: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Skin contact	: Wash immediately with plenty of water and soap. If symptoms persist, seek medical advice.
Ingestion	: Rinse mouth with plenty of water. Seek medical advice.
Inhalation	: Take person to fresh air. If necessary, seek medical advice.

### 5. FIRE-FIGHTING MEASURES

Specific hazards during fire fighting	: In case of fire, thermal decomposition with emission of hazardous fumes is possible (e.g. SO <sub>2</sub> ).
Further information	: Product is not combustible.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions	: See section : Exposure controls / personel protection.
Environmental precautions	: For waste disposal see section 13.
Methods for cleaning up	: Dike the spill if necessary. Soak up with absorbent material. Collect large spills into a properly labelled and sealable container. Prevent release into the drain, soil or surface water.
Additional advice	: Wash away residues with plenty of water.

### 7. HANDLING AND STORAGE

#### Handling

Advice on protection against fire and explosion	: No special protective measures against fire and explosion required.
---	---

#### Storage

Requirements for storage areas and containers	: Keep container tightly closed. Protect from direct sunlight.
Advice on common storage	: Store away from strong acids and strong oxidizing agents (e.g. sodium hypochlorite).

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006



## Koru Film Developer

SUBID : 000001010606

Version 1  
Revision Date 26.03.2009

Print Date 27.03.2009

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Exposure Limit Values

Components	CAS-No.	Values	Type	Revision Date	Basis
Hydroquinone	123-31-9	0.5 mg/m <sup>3</sup>	TWA	2005	EH40 WEL
Diethylene glycol	111-46-6	101 mg/m <sup>3</sup>	TWA	2005	EH40 WEL

#### Exposure controls

- Engineering measures : Ventilation should be sufficient so that any applicable occupational exposure limits are not exceeded.
- Hygiene measures : Observe normal precautions when handling chemicals. Avoid inhaling vapour. Keep away from foodstuffs, drinks and tobacco.
- Hand protection : Use chemical resistant gloves. In case of prolonged immersion or frequently repeated contact use gloves made of the materials: butyl rubber (thickness  $\geq$  0.36 mm, breakthrough time > 480 min), nitrile rubber (thickness  $\geq$  0.38 mm, breakthrough time > 480 min) or neoprene (thickness  $\geq$  0.65 mm, breakthrough time > 240 min). For intermittent splash protection corresponding gloves with breakthrough times > 60 min can be used. Avoid gloves made of: natural latex.
- Eye protection : Safety glasses.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### General Information

- Form : Liquid.
- Colour : Yellowish
- Odour : Nearly odourless

#### Important Health Safety and Environmental Information

- Vapour pressure (20 °C) : 23.00 hPa
- Relative density (20 °C) : 1.270
- Solubility/qualitative : Miscible with water at all ratios.
- pH (25 °C) : 10.8
- Melting point/range : < 0 °C
- Boiling point/range : > 100 °C

### 10. STABILITY AND REACTIVITY

- Stability : The product is stable under normal conditions of storage and use.
- Conditions and materials to avoid : Avoid contact with strong acids and strong oxidizing agents (e.g. sodiumhypochlorite). Remove all chemicals and rinse the processing tanks thoroughly with water before using any cleansing products.
- Hazardous decomposition products : Sulphur dioxide

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006



## **Koru Film Developer**

**SUBID : 000001010606**

Version 1  
Revision Date 26.03.2009

Print Date 27.03.2009

### **11. TOXICOLOGICAL INFORMATION**

Irritating to eyes.  
Limited evidence of a carcinogenic effect.  
May cause sensitization by skin contact.  
Possible risk of irreversible effects.

Toxicity data specific for individual ingredients in their pure state:

#### **Acute oral toxicity**

- |  |            |               |
|--|------------|---------------|
| • Potassium carbonate                              | : LD50 rat | > 2,000 mg/kg |
| • Hydroquinone                                     | : LD50 rat | 320 mg/kg     |
| • Diethylene glycol                                | : LD50 rat | 12,565 mg/kg  |
| • EDTA-sodium salt                                 | : LD50 rat | > 1,000 mg/kg |
| • 4-Hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidone | : LD50 rat | 1,300 mg/kg   |

#### **Acute dermal toxicity**

- |  |               |               |
|--|---------------|---------------|
| • Hydroquinone                                     | : LD50 cat    | 5,970 mg/kg   |
| • Diethylene glycol                                | : LD50 rabbit | 11,890 mg/kg  |
| • EDTA-sodium salt                                 | : LD50 rabbit | > 2,000 mg/kg |
| • 4-Hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidone | : LD50 rat    | > 2,000 mg/kg |

#### **Other information**

There is insufficient scientific evidence for classifying hydroquinone as a suspected carcino- or mutagenic substance in humans. Epidemiologic studies over a period of 48 years, wherein -during manufacturing and use of hydroquinone- more than 800 human individuals were daily exposed at significant airborne concentrations (greater than the MEL of 0.5 mg/m<sup>3</sup>), demonstrated that such exposure is not associated with the induction of cancer in humans.  
Hazard labelling of this preparation or substance : see section 15.

### **12. ECOLOGICAL INFORMATION**

#### **Elimination information (persistence and degradability)**

##### **Biodegradation**

- |  |  |                   |
|--|--|-------------------|
| • Hydroquinone                                     | : OECD 301D Assessment of biological degradability | > 80 % after 28 d |
| • 4-Hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidone | : OECD 302B Inherent biodegradability              | 86 % after 28 d   |

#### **Ecotoxicity effects**

Ecotoxicity data specific for individual ingredients in their pure state:

##### **Toxicity to fish**

- |                       |   |                        |
|-----------------------|---|------------------------|
| • Potassium carbonate | : Species: Pimephales promelas (fathead minnow) | LC50: > 100 mg/l/ 96 h |
|-----------------------|---|------------------------|

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006



## **Koru Film Developer**

**SUBID : 000001010606**

Version 1  
Revision Date 26.03.2009

Print Date 27.03.2009

- Hydroquinone : Species: Brachidanio rerio (zebra fish)  
LC50: 0.11 to 0.64 mg/l/ 96 h
- Diethylene glycol : Species: Lepomis macrochirus (bluegill sunfish)  
LC50: > 1,000 mg/l/ 96 h
- EDTA-sodium salt : Species: Leuciscus idus (golden orfe)  
LC50: > 500 mg/l/ 96 h
- 4-Hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidone : Species: Pimephales promelas (fathead minnow)  
LC50: > 1 mg/l/ 96 h

### **Toxicity to daphnia**

- Potassium carbonate : Species: Daphnia magna (water flea)  
EC50: 100 mg/l/ 48 h
- Hydroquinone : Species: Daphnia magna (water flea)  
EC50: 0.3 mg/l/ 48 h
- Diethylene glycol : Species: Daphnia magna (water flea)  
EC50: > 1,000 mg/l/ 24 h
- EDTA-sodium salt : Species: Daphnia magna (water flea)  
EC50: > 100 mg/l/ 48 h
- 4-Hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidone : Species: Daphnia magna (water flea)  
EC50: 7.1 mg/l/ 24 h

### **Toxicity to algae**

- Hydroquinone : Species: Selenastrum capricornutum (algae)  
EC50: 0.3 mg/l/ 72 h
- Diethylene glycol : Species: Scenedesmus quadricauda (algae)  
EC0: 2,700 mg/l/ 7 d

### **Toxicity to bacteria**

- Diethylene glycol : Species: Pseudomonas putida (bacteria)  
EC10: 8,000 mg/l/ 72 h

## **13. DISPOSAL CONSIDERATIONS**

### **Waste disposal methods**

Environmental regulations, discharge of chemicals and washwater, waste treatment and disposal conditions of chemicals and their packaging may vary from one country to another. The relevant local regulations should be consulted. When this product or its contaminated packaging has to be removed as waste, contact an authorized waste contractor. May be discharged to drain if local regulations permit.

For waste resulting from this product, it is recommended to use European Waste Code : 09 01 01 (water-based developer and activator solutions).

## **14. TRANSPORT INFORMATION**

Not classified as dangerous in the meaning of transport regulations.

## **15. REGULATORY INFORMATION**

### **Labelling according to EC Directives**

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006



## **Koru Film Developer**

**SUBID : 000001010606**

Version 1

Print Date 27.03.2009

Revision Date 26.03.2009

Hazardous components which must be listed on the label :

• CAS-No.	: 123-31-9	Hydroquinone
	: 13047-13-7	4-Hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidone
Symbol(s)	: Xn	Harmful
R-phrase(s)	: R36	Irritating to eyes.
	: R40	Limited evidence of a carcinogenic effect.
	: R43	May cause sensitization by skin contact.
	: R68	Possible risk of irreversible effects.
S-phrase(s)	: S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
	: S36/37/39	Wear suitable protective clothing, gloves and eye/face protection.

## **16. OTHER INFORMATION**

### **Further information**

Text of R-phrases referred to under headings 2 and 3:

R22	Harmful if swallowed.
R36	Irritating to eyes.
R36/38	Irritating to eyes and skin.
R40	Limited evidence of a carcinogenic effect.
R41	Risk of serious damage to eyes.
R43	May cause sensitization by skin contact.
R50	Very toxic to aquatic organisms.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R68	Possible risk of irreversible effects.

This Safety Data Sheet is compiled in accordance with European Directives and corresponding national legislation.

The information disclosed in this Safety Data Sheet is believed to be correct to the best of our current knowledge and experience. It only relates to the specific product designated herein and it may not be valid when said product is used in combination with any other material or in any process, unless specified in the text. This document aims to provide the necessary health and safety information of the product and is not to be considered a warranty or quality specification. It is the responsibility of the user to comply with local legislation relating to safety, health, environment and waste management.